



ITEM NO.	QTY. -041	QTY. -043	PART NUMBER	DESCRIPTION
1	X		D4039-041	FWD BRACKET ASSEMBLY
2		X	D4039-043	AFT BRACKET ASSEMBLY
3	1		D4039-1	FWD BRACKET
4		1	D4039-3	AFT BRACKET
5	1	1	D2690-6	LANYARD
6	1	1	BLRS-010	PIP PIN
7	1	1	MS27039-1-11	SCREW
8	1	1	MS21042L3	NUT
9	3	3	NAS1149D0363J	WASHER



D4039-041 FWD BRACKET ASSEMBLY






D4039-043 AFT BRACKET ASSEMBLY

RELEASED
2010-09-27

NOTES:
1) MATERIAL: N/A
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: N/A
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
7) WEIGHT: N/A



B	REVISE HOLE SIZE ON D4039-3 FROM 0.191 TO 0.203, ZN B6-3		10.04.28
A	NEW ISSUE	HS	09.12.14
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4039	SHEET 1 OF 3
APPROVED		TITLE	SCALE
DE APPR.		BRACKET	NTS
DATE	10.04.28	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	







D4039-1 FWD BRACKET

NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 1.000 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC M6061T6S1.000
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE P/N AND BATCH NUMBER IN THIS AREA TO MAX
DEPTH OF 0.010 WITH MIN TOOL RADIUS OF 0.010
- 7) WEIGHT: 6.64 lbs
- 8) MACHINE PER DART SOLIDWORKS PART "D4039-1 REV B.SLDPRJT"
- 9) ENGRAVE DART LOGO IN THIS AREA TO MAX DEPTH OF 0.015 WITH MIN TOOL RADIUS OF 0.250

RELEASED
2010-09-27

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4039	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		BRACKET	NTS
DATE	10.04.28	<small>COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



D4039-3 AFT BRACKET

NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 1.000 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC M6061T6S1.000
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE P/N AND BATCH NUMBER IN THIS AREA TO MAX
DEPTH OF 0.010 WITH MIN TOOL RADIUS OF 0.010
- 7) WEIGHT: 6.23 lbs
- 8) MACHINE PER DART SOLIDWORKS PART "D4039-3_REVB.SLDPRT"
- 9) ENGRAVE DART LOGO IN THIS AREA TO MAX DEPTH OF 0.015 WITH MIN TOOL RADIUS OF 0.250

RELEASED
2010-09-27

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4039	SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		BRACKET	NTS
DATE	10.04.28	<small>COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	